


Duplex Refrigeration Pressure Gauge



Duplex Refrigeration Pressure Gauge

- ◆ 100mm (4") Dial Size
- ◆ Stainless Steel Case & Ring (Matt Finish)
- ◆ Brass or SS Internals
- ◆ Liquid Filled
- ◆ Bottom Connection
- ◆ Direct or Panel or Surface Mount
- ◆ Different Thread Options
- ◆ Selectable Refrigeration Scales

Applications

This series of pressure gauges is well suited for application in the refrigeration industry. The double pressure gauge is specifically intended for 2-stage plants for measuring the suction and medium pressure or the medium and condensation pressure. Furthermore, it is also applicable for measuring the pressure drop over filters in refrigeration plants.

Design Module

These gauges are glycerin filled to minimize pointer fluctuations and vibration damages.

The user can select different refrigeration scales available for freon and ammonia.

Also the gauge connections are available in various thread sizes as per requirement.

Specifications

Dial Size	100mm (4")
Case & Ring	SS304 IP65
Lens	Acrylic
Connection	Brass or SS316
Range	-1x25 bar (others on request)
Accuracy	±1% F.S.
Refrigerant	R12, R22, R134a, R502, R404a & Ammonia R717
Thread - Connection	1/4" BSP or 3/8" BSP (others on request)

Manufactured for Soluter by Adarsh

How to Order - Duplex Refrigeration Pressure Gauge

While ordering please mention the below:-

- 1) Dial Size
- 2) Pressure Range
- 3) Thread Connections
- 4) Mounting - Bottom with Direct or Panel or Surface
- 5) Refrigerant Scale - (R717 (ammonia) or R22/134a/404a or R22/502/R12),
- 6) Dry or Liquid Filled